



# Insulation Certificate

## MODERN INSULATION INC.

THIS CERTIFICATE  
WARRANTS

To \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

Date \_\_\_\_\_

Ceilings \_\_\_\_\_ Sq. Ft. \_\_\_\_\_ BAGS

Walls \_\_\_\_\_ Sq. Ft. \_\_\_\_\_ BAGS

Other \_\_\_\_\_ Sq. Ft. \_\_\_\_\_ BAGS

That Weather Blanket insulation has been manufactured to meet CPSC Interim Safety Standard (16 CFR Part 1209, dated July 6, 1979) characteristics, Type 1, in accordance with test methods and procedures of ASTM-C-739-03.

That each bag of Weather Blanket Insulation is Underwriters Laboratories classified and an Underwriters Laboratories classification mark as shown below appears on every bag.

### UNDERWRITER'S LABORATORIES INC.® CLASSIFIED LOOSE FILL MATERIAL

R-8796

Classified in accordance with the following UL 723, ASTM C-739-03 characteristics.

#### Flammability Characteristics

Critical Radiant Flux Greater than or equal to 0.12 w/cm<sup>2</sup>  
Smoldering Combustion Less than or equal to 15.0 percent

Tested at 1.2 pcf density

FLAME SPREAD ..... 5  
SMOKE DEVELOPED ..... 50

#### Environmental Characteristics

Corrosiveness Acceptable  
Fungi Resistance Acceptable

#### Physical Characteristics

Density (Settled) 1.4pcf  
Thermal Resistance (HH-I-515 D) 3.75 R/in. (at 4 in. thickness)  
Moisture Absorption Acceptable  
Odor Emission Acceptable

*Signature of Installer is necessary to validate*

Installer \_\_\_\_\_

Address \_\_\_\_\_

State \_\_\_\_\_

**MODERN INSULATION INC.**  
1206 S. Monroe St.  
P.O. Box 157  
Spencer, Wisconsin 54479-0157

*William G. Bauer*  
SECRETARY

### Limited Warranty For Life Of Structure

(See Back)